



SOUTH ALABAMA PURCHASING ASSOCIATION

110 Beauregard Street
Mobile, Alabama 36633

REQUEST FOR BID (RFB) SAPA 2017-09

PVC PIPE, FITTINGS & BALL VALVES

**COMPETITIVE SEALED PROPOSALS WILL BE
RECEIVED NO LATER THAN:**

**Friday, December 15, 2017, at 11:00 am
Local Time, At the Following Location:**

SOUTH ALABAMA PURCHASING ASSOCIATION
C/O: SOUTH ALABAMA REGIONAL PLANNING COMMISSION
110 BEAUREGARD STREET
MOBILE, ALABAMA 36633

Wayne Smith, SAPA
Coordinator

Hand deliver to:
SAPA C/O: SARPC
Attn: Wayne Smith, Coordinator
110 Beauregard Street
Mobile, Alabama 36633

Mail to:
SAPA C/O SARPC
Attn: Wayne Smith, Coordinator
PO Box 1665
Mobile, Alabama 36633



SEALED BIDS will be received by the *South Alabama Purchasing Association*, hereafter known as *SAPA* with offices located at 110 Beauregard Street, Mobile, Alabama, until Friday, December 15, 2017 prior to 11:00 am, which time bids will be publically opened. Any bids received after 11:00 am will not be opened and sent back to bidder.

All specifications will be met as stated within this RFB for:

**PVC PIPE & FITTINGS,
Bid Number: 2017-09**

Questions or comments pertaining to this bid must be presented in writing and sent as an E-mail to:

Wayne Smith,
SAPA Coordinator
P.O. Box 1665
110 Beauregard Street, Suite 207
Mobile, Alabama 36633
E-mail: Wayne@MySAPA.com

Each bid is to be in a separate opaque envelope, clearly marked with the following information:

**“Sealed Bid”
PVC PIPE & FITTINGS
Bid No: 2017-09
Attn: Wayne Smith,
SAPA Coordinator
P.O. Box 1665
110 Beauregard Street, Suite 207
Mobile, Alabama 36633**

Failure to observe the instructions contained herein will constitute grounds for rejection of your bid. SAPA reserves the right to accept or reject all bids or any portion thereof whichever is in the best interest of SAPA.

The company awarded the bid must present proof of having Workman's Compensation Insurance if the company's employee enters the SAPA members premises. Any firm submitting a proposal must have General Liability Insurance specifying coverage must maintain to hold any SAPA members harmless in event of an accident.

No bids will be considered unless the bidder, whether resident or non-resident of Alabama, is properly qualified to submit a proposal for this type of work in accordance with all applicable laws of the State of Alabama. Where applicable, this shall include evidence of holding a current license from the State Licensing board for General Contractors, Montgomery, Alabama.



INSTRUCTIONS TO BIDDER

1.1 AWARD OR REJECTION OF BIDS:

The Bid will be awarded to the lowest responsible bidder complying with conditions of the invitation for Bids, provided his/her bid is reasonable and it is in the interest of SAPA in accepting it. The bidder to whom the award is made will be notified at the earliest possible date. SAPA, however reserves the right to reject any and all bids, and to waive any informality in Bids received whenever such rejection or waiver is in the interest to SAPA.

1.2 EVALUATION OF BID- BASIS OF AWARD:

All purchases which are based on competitive Invitation to Bids are awarded to the lowest, responsive bidder subject to SAPA's right to reject any or all bids and to waive informality and irregularity in bids and bidding. In addition to price, consideration will be given to the following items determining the lowest, responsive bidder:

- » The best interest of SAPA members
- » The quality and performance of the goods or services to be supplied
- » Conformity to specifications
- » Delivery time (if applicable)
- » Other unique requirements outlined in the bid request
- » Comparison of two or three common items SAPA members use

1.3 COMPLIANCE:

All bid components will comply with all Federal, State and Local laws, ordinances, codes and regulations. The awarded Vendor will be responsible for insuring that all items meet specifications before delivery. Awarded vendor will make no substitutions for bid items without prior written approval of SAPA or SAPA member.

1.3.1 ORDERING:

SAPA member will place orders as needed and will not guarantee any particular quantity of parts or equipment will be ordered.

- 1.3.2 If Awarded Vendor fails to deliver amount ordered within a reasonable amount of time, the SAPA member reserves the right to procure needed, comparable items from another source, and may bill the Awarded Vendor for associated expenses generated by such failure.

1.4 DELIVERY:

- 1.4.1 All orders should be delivered as soon as possible, but not more than twenty-four (24) hours after receipt of order (ARO). Partial shipments are acceptable if authorized. Items will be delivered to the address on the Purchase Order. All freight charges must be paid by the vendor. If Equipment such as parts are delivered, an itemized delivery ticket including the purchase order will be clearly referenced thereon, to SAPA member receiving personnel for signing such ticket.



1.4.2 All invoices must agree with the purchase order in description and price and include the following information:

- Purchase Order Number
- Ship to department name and address

1.4.3 In order to ensure prompt payment, all original invoices must be sent.

1.4.4 F.O.B. SAPA Member's location as directed by order.

1.5 MEMBER TO PICK UP PARTS:

SAPA Members may prefer to pick up parts as needed.

1.6 INSURANCE:

Contractor, at its sole expense, shall obtain and maintain in full force the following insurance to protect the Contractor and the SAPA Member at limits and coverage's specified herein. The SAPA Member may list "additional insured" on all applicable certificates.

1.7 PAYMENT:

Invoices, upon completion of service and delivery of materials specified in the applicable purchase order, Awarded Vendor will submit an invoice and signed delivery ticket to the SAPA Member's address as specified by that member. SAPA Member's Purchase Order Number must be written on all paperwork along with the invoice. Other reasonable additional instructions may be given by SAPA Member.

1.8 PROOF OF DELIVERY:

It is the responsibility of the supplier to provide proof of delivery of merchandise. Proof of delivery required would consist of a signed delivery ticket by a designated representative of the department item is delivered to.

1.9 COLLUSION:

If there is any reason for believing that collusion exists among the Bidders any or all proposals may be rejected, and those participating in such collusion may be barred from submitting bids on the same or other work affiliated with SAPA or the SAPA Member.

2.0 CONTRACTS

2.1 CONTRACTS

The Request for Bid, Vendors Bid, the acceptance of the bid whether in part of whole, and the Notice of Award to the successful vendor shall constitute a contract unless otherwise noted.

2.2 Term of Contract

It is the desire of SAPA that a contract remain in effect for a period of one (1) year with an option to extend for two (2) additional years, beginning on the first day of purchase of the award subject to funding for the various "SAPA" members on a year-to-year basis.



2.3 Contract Commencement

Successful vendor shall immediately, upon *Notice of Award* proceed to secure any equipment, services, or other items bid, proceed with the execution of the contractual services of this proposal.

2.4 Termination of Contract

If, for any reasons, or through any cause, the Contractor fails to fulfill in timely and proper manner its obligations under this Contract, or if the Contractor violates any of the covenants, agreements, or stipulations of this Contract, SAPA and/or the SAPA member may terminate the contract by a 30-day written notice, in whole or in part if vendor fails to perform adequately the services, terms or promises vendor proposed in their response to this RFB.

2.5 Notification of Owner Re: Termination/Expiration

Each and every policy shall contain an endorsement stating that insurance company will not, prior to completion of project of any policy expiration date shown on policy and certificate, whichever occurs first, terminate policy or change, to Owner at whose request the policy and certificates are issued.

3.0 SCOPE OF WORK

- 3.1** The attached specifications are intended and provided solely as a general and non-exhaustive expression for the intent and purpose of SAPA and the SAPA Member regarding this bid; said specifications should be so considered by the bidders. The use of specific names is not intended to restrict the bidder or any seller or manufacturer, but is solely for the purpose of indicating the type, size and quality of materials, product services, or equipment best suited for SAPA and its members. Accordingly, the bidder admits and agrees that said specifications are not complete in every detail and that the work and materials not indicated or expressly mentioned in said specifications, but which are reasonably necessary for the full and faithful performance of the item(s) bid in accordance with their full and faithful intent, will be included in the bid and incorporated in the work by the bidder and at the bidder's sole expense, the same as if indicated and specified.
- 3.2** Parts will be supplied by one supplier only. SAPA reserves the right to terminate the contract at any time by registered letter to the supplier if specifications and conditions are not met.
- 3.2.1 If you are unable to furnish product as specified and desire to offer a substitute, give full description of the item. No errors will be corrected after bids are opened. No prices shall include State or Federal Excise Taxes. Municipalities and or SAPA Members are exempt from Alabama Sales Tax by state law.
- 3.2.2 Any attachments hereto are made and become a part of this inquiry and must be signed by bidder.
- 3.2.3 SAPA Bid Form must be filled in completely.
- 3.2.4 All pages of bid form must be returned. Any substitutions must be noted on page describing item.
- 3.2.5 All documents requested must be attached to the back of page of such request and acknowledgement must be made where blank appears.



3.2.6 A signed contractual agreement must be in place prior to beginning work or services.

4.0 BID COST SHEET

4.1 **ALL DELIVERY COST MUST BE INCLUDED IN PRICE (UNLESS OTHERWISE NOTED).**

4.2 BIDS MUST BE RETURNED ON ENCLOSED QUOTE SHEET WITH TOTAL UNIT COST LISTED.

4.3 BIDDER ACKNOWLEDGES WITH THE SUBMISSION OF A BID THAT HE/SHE HAS REVIEWED THE TERMS AND CONDITIONS OF THIS BID AND ACCEPTS THEM.

4.4 BID SHEETS MUST BE DATED AND SIGNED BY COMPANY OWNER OR AUTHORIZED PERSONNEL.

4.5 THE BIDDER ACKNOWLEDGES WITH THE SUBMISSION OF A BID THAT HE/SHE HAS REVIEWED THE TERMS AND CONDITIONS OF THIS BID AND ACCEPTS THEM. BID SHEETS MUST BE SIGNED BY COMPANY OWNER OR AUTHORIZED PERSONNEL AND NOTARIZED.

4.6 THE *SOUTH ALABAMA PURCHASING ASSOCIATION* AND ITS MEMBERS ARE TAX EXEMPT. PRICES OFFERED SHALL BE FIRM AGAINST ANY INCREASE FOR A PERIOD OF ONE YEAR BEGINNING JANUARY 1, 2019 THROUGH DECEMBER 31, 2019. PRIOR TO THE COMMENCEMENT OF SUBSEQUENT RENEWAL PERIODS, IT SHALL BE THE SUCCESSFUL BIDDER'S RESPONSIBILITY TO SEND WRITTEN NOTIFICATION THIRTY (30) DAYS IN ADVANCE OF ANY REQUESTED PRICE CHANGES. SAPA OR THE SAPA MEMBER RESERVE THE RIGHT TO GRANT OR DENY THE REQUEST FOR A PRICE INCREASE.

5.0 SPECIFICATIONS

PVC Pipe, Fittings & Ball Valves Specifications

PVC SCH40 Fittings: The rigid PVC compound used in the manufacture of SCH40 fittings must be Type I, Grade I with a cell classification of 12454B as defined in ASTM D1784. The compound shall be approved by NSF International (NSF Std. 61) for the conveyance of potable water. The fittings shall be in strict accordance with ASTM D2466. Markings on fittings shall be



permanent and include, at a minimum, manufacturer's name or trademark, fitting size(s), Schedule 40, ASTM D2466, NSF seal of approval and manufacture date. Fittings shall be stored indoors by manufacturer until shipped. All standards shall include latest revisions. Fittings shall be white. Fittings shall be in new condition and no older than 1 year from date of manufacture. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

PVC SCH40 Pipe: The rigid PVC compound used in the manufacture of SCH40 pipe must be Type I, Grade I with a cell classification of 12454B as defined in ASTM D1784. The compound shall be approved by NSF International (NSF Std. 61) for the conveyance of potable water. The pipe shall be manufactured in strict accordance with ASTM D1785. Markings on the pipe shall, at a minimum, include the manufacturer's name or trademark, pipe material, nominal pipe size, material designation code, pipe schedule and pressure rating at 73 degrees Fahrenheit, ASTM Designation D1785, NSF seal of approval for potable water usage and date of manufacture. All standards shall include latest revisions. Pipe shall be white. Pipe shall be in 20 foot lengths. Pipe shall contain solvent weld bell on one end and beveled spigot on the other. Pipe shall be in new condition and no older than 1 year from date of manufacture. All pipe deliveries shall include a document that defines all markings on the pipe and the country in which the pipe was manufactured. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

PVC SCH 80 Fittings: The rigid PVC compound used in the manufacture of SCH 80 fittings must be Type I, Grade I with a cell classification of 12454B as identified in ASTM D1784. The compound shall be approved by NSF International (NSF Std. 61) for the conveyance of potable water. The fittings shall be in strict accordance with ASTM D2467 for socket fittings and ASTM D2464 for threaded fittings. Markings on fittings shall be permanent and include, at a minimum, manufacturer's name or trademark, PVC, fitting size(s), Schedule 80, ASTM D2466, country where manufactured, NSF seal of approval for potable water usage and manufacture date. Fittings shall be stored indoors until shipped by manufacturer. All standards shall include latest revisions. Fittings shall be gray Fittings shall be in new condition and no older than 1 year from date of manufacture. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

PVC SCH 80 Pipe: The rigid PVC compound used in the manufacture of SCH80 pipe must be Type I, Grade I with a cell classification of 12454B as defined in ASTM D1784. The compound shall be approved by NSF International (NSF Std. 61) for the conveyance of potable water. The pipe shall be manufactured in strict accordance with ASTM D1785. All pipe shall be stored indoors until shipped from the manufacturer. Markings on the pipe shall, at a minimum, include the manufacturer's name or trademark, PVC, Sch. 80, nominal pipe size, material designation code, pipe schedule and pressure rating at 73 degrees Fahrenheit, ASTM D1785, NSF seal of approval for potable water usage and date of manufacture. All standards shall include latest revisions. Pipe shall be gray. Pipe shall be in 20 foot lengths. Pipe shall contain solvent weld



bell on one end and beveled spigot on the other. Pipe shall be in new condition and no older than 1 year from date of manufacture. All pipe deliveries shall include a document that defines all markings on the pipe and the country in which the pipe was manufactured. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

Gravity Flow SDR35 Cleanout Adapter (Hub) and Recessed Cleanout Plug: SDR35 PVC clean-out adapter (hub) and recessed plug shall meet requirements of ASTM D3034. The fittings shall be made from a compound that meets or exceeds cell classification 12454B as defined by ASTM 1784. Adapter shall be for solvent weld connection to SDR26 gravity sewer service pipe. Fittings shall be stored indoors until shipped by manufacturer. All standards shall include latest revisions. Adapter and plug shall be white. Fittings shall be in new condition and no older than 1 year from date of manufacture. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

SDR26 Sewer Fittings for Gravity Sewer Service: SDR26 PVC gravity sewer fittings for 4” through 15” diameters shall meet requirements of ASTM D3034. SDR26 PVC gravity sewer fittings for 18” and larger pipe shall meet requirements of ASTM F679. The fittings shall be made from a compound that meets or exceeds cell classification 12454B as defined by ASTM 1784. Integral bells must incorporate locked-in flexible elastomeric gaskets meeting the requirement of ASTM D3212 and F477. Where solvent welded joints are required, such joints shall meet ASTM D2467. Markings on fittings shall be permanent and include, at a minimum, manufacturer’s name or trademark, PVC, fitting size(s), SDR26, ASTM D3034 or F679, country where manufactured and manufacture date. Fittings shall be stored indoors until shipped by manufacturer. All standards shall include latest revisions. Fittings shall be white, green or green and white. Fittings shall be in new condition and no older than 1 year from date of manufacture. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

SDR26 Pipe for Gravity Sewer Service: All SDR26 PVC gravity sewer pipe in sizes 4” through 15” shall meet requirements of ASTM D3034 and F679 for 18” through 36” pipe. The pipe shall be made from a compound that meets or exceeds cell classification 12454B as identified in ASTM 1784. Pipe length shall be 14 feet or 20 feet to be specified when ordered. Integral bells must incorporate locked-in flexible elastomeric gaskets meeting the requirement of ASTM D3212 and F477. Spigot end of pipe shall be beveled. Markings on the pipe shall, at a minimum, include the manufacturer’s name or trademark, pipe material, nominal pipe size, material designation code, SDR26, ASTM D1785 and date of manufacture. All standards shall include latest revisions. Pipe shall be green. Pipe shall be in new condition and no older than 1 year from date of manufacture. All pipe deliveries shall include a document that defines all markings on the pipe and the country in which the pipe was manufactured. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the



material.

AWWA C-900 DR18 PC150 Water Distribution Pipe: Water main distribution pipe of diameters 4 inch through 12 inch and 14 inch through 24 inch pipe must be made in accordance with AWWA C900 and AWWA C905, respectively from a compound conforming to cell classification of 12454B as defined by ASTM 1784. Integral bells must incorporate flexible elastomeric gaskets meeting the requirements of ASTM F477 and be locked into the bell. Spigot end of pipe shall be beveled. The assembled joint must be able to meet the requirements of ASTM D3139. The pipe and gasket must be tested and approved for contact with potable water in accordance with NSF Standard 61. The pipe and gasket must be listed by Underwriters Laboratory Listing #76E4 and approved by Factory Mutual. Markings on pipe shall be permanent and include, at a minimum, manufacturer's name or trademark, material designation, PVC, pipe size, C900, pressure rating, cell classification 12454B, NSF seal of approval for potable water usage, FM designation, UL designation, and date of manufacture. All standards shall include latest revisions. All pipe shall be blue unless requested in green for gravity or force main service. NSF designation not required for sanitary sewer service pipe if "Non-NSF" or "Non-Potable" marked on green pipe. Pipe length shall be 20 feet. Pipe shall be in new condition and no older than 1 year from date of manufacture. All pipe deliveries shall include a document that defines all markings on the pipe and the country in which the pipe was manufactured. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

PVC Schedule 80 Compact Ball Valves: The rigid PVC compound used in the manufacture of PVC compact ball valves shall be Type I, Grade I with a cell classification of 12454 per ASTM D1784. The ball valve shall be manufactured in strict accordance with ASTM D1784. The O-rings shall be EPDM and the seats shall be Teflon. The valve handle shall be of high impact polypropylene and contain open and/or close markings on top. Full closure of valve shall be accomplished with 1/4 turn of handle. The valve shall also meet the requirements of ASTM F1970 and be certified for use with potable water in accordance with NSF International (NSF Std. 61). Minimum pressure rating of valve shall be 150 psi non-shock at 73° F. The valve shall have socket-end connections conforming to the requirements of ASTM D2467 and F439 for solvent welded joints. The valve shall be white or gray. Markings on the valve shall be permanent and include, at a minimum, manufacturer's name or trademark, material designation, NSF seal of approval, pressure rating, and nominal size. Valves shall be stored indoors by manufacturer until shipped. All standards shall include latest revisions. Valves shall be in new condition and no older than 6 months from date of manufacture. A dated certification of compliance with these specifications containing an original signature from appropriate representative of manufacturer or vendor shall be provided to MAWSS upon delivery of the material.

Submittal Requirements

In addition to the PVC Pipe, Fittings and Ball Valves specifications, each party submitting a bid must comply with the following supplementary requirements:



1. The bidder will provide written certification of compliance that they fully comply with SAPA specifications and requirements.
2. The bidder will provide all manufacturer cut sheets of the product. The cut sheets or a separate document shall clearly identify what permanent markings will be on the product when it is delivered to us. We must also have sufficient information about any codes or markings on the pipe that exceeds our requirements so that we can read and understand such markings.
3. All manufacturer warranties and guarantees on all PVC Pipe, Fittings and Ball Valves and accessories will be submitted, in writing, at the time of the bid opening.
4. Each manufacturer or bidder shall supply a list of utilities, which have experience with the PVC Pipe, Fittings and Ball Valves and components being bid.



6.0 PRICE SHEET

PVC Pipe, Fittings and Ball Valves Bid Price Sheet

	Lawson No:	Description:	Price:	Measure:
Category A				
1.	11200975	4" SDR26 Sewer Pipe		Per Ft
2.	11200985	6" SDR26 Sewer Pipe		Per Ft
3.	11200995	8" SDR26 Sewer Pipe		Per Ft
4.	11201005	10" SDR26 Sewer Pipe		Per Ft
5.	11201015	12" SDR26 Sewer Pipe		Per Ft
6.	11201025	15" SDR26 Sewer Pipe		Per Ft
7.	11201035	18" SDR26 Sewer Pipe		Per Ft
8.	13000495	4" SDR26 11-1/2 degree PVC Elbow		Ea
9.	13000505	6" SDR26 11-1/2 degree PVC Elbow		Ea
10.	13000510	8" SDR26 11-1/2 degree PVC Elbow		Ea
11.	13000525	4" SDR26 22-1/2 degree PVC Elbow		Ea
12.	13000533	6" SDR26 22-1/2 degree PVC Elbow		Ea
13.	13000545	8" SDR26 22-1/2 degree PVC Elbow		Ea
14.	13000555	4" SDR26 45 degree Elbow GxG 4x4		Ea
15.	13000565	6" SDR26 45 degree Elbow GxG 6x6		Ea
16.	13000575	8" SDR26 45 degree Elbow GxG 8x8		Ea
17.	13000576	10" SDR26 45 degree PVC Elbow GxG 10x10		Ea
18.	13000585	4" SDR26 90 degree PVC Elbow GxG 4x4		Ea
19.	13000595	6" SDR26 90 degree PVC Elbow GxG 6x6		Ea
20.	13000603	8" SDR26 90 degree PVC Elbow GxG 8x8		Ea
21.	13000601	10" SDR26 90 degree PVC Elbow GxG 10x10		Ea
22.	13000604	12" SDR26 90 degree PVC Elbow GxG 12x12		Ea
23.	13000845	4" SDR26 90 degree Tee Wye 4"x4"x4"		Ea.
24.	13000855	6" SDR26 90 degree Tee Wye 6"x6"x4"		Ea.
25.	13000875	8" SDR26 90 degree Tee Wye 8"x8"x4"		Ea.
26.	13000885	8" SDR26 90 degree Tee Wye 8"x8"x6"		Ea.
27.	13000895	8" SDR26 90 degree Tee Wye 8"x8"x8"		Ea.
28.	13000905	10"x10"x4" SDR26 PVC Tee Wye		Ea
29.	13000915	10"x10"x6" SDR26 PVC Tee Wye		Ea
30.	13000922	12"x12"x6" SDR26 PVC Tee Wye		Ea
31.	13000962	6" SDR26 90 PVC Tee Wye 6"x6"x6" Double Sweep **See Attached Specification**		Ea
32.	13000865	6" SDR26 PVC Double Sweep Clean Out		Ea
33.	13000808	4" Wye (45) SDR26 GxGxG 4"x4"x4"		Ea



	Lawson No:	Description:	Price:	Measure:
Category A				
34.	13000811	6" Wye (45) SDR26 GxGxG 6"x6"x4"		Ea
35.	13000812	6" Wye (45) SDR26 GxGxG 6"x6"x6"		Ea
36.	13000814	8" Wye (45) SDR26 GxGxG 8"x8"x4"		Ea
37.	13000816	8" Wye (45) SDR26 GxGxG 8"x8"x6"		Ea
38.	13000818	8" Wye (45) SDR26 GxGxG 8"x8"x8"		Ea
39.	13000819	10" Wye (45) SDR26 GxGxG 10"x10"x4"		Ea
40.	13000824	10" Wye (45) SDR26 GxGxG 10"x10"x6"		Ea
41.	13000826	10" Wye (45) SDR26 GxGxG 10"x10"x8"		Ea
42.	13000828	10" Wye (45) SDR26 GxGxG 10"x10"x10"		Ea
43.	13000832	12" Wye (45) SDR26 GxGxG 12"x12"x4"		Ea
44.	13000833	12" Wye (45) SDR26 GxGxG 12"x12"x6"		Ea
45.	13000834	12" Wye (45) SDR26 GxGxG 12"x12"x8"		Ea
46.	13000000	4" PVC Sewer Clean Out Adapter		Ea
47.	13000005	6" PVC Sewer Clean Out Adapter SDR35		Ea
48.	13000612	4" PVC Sewer Clean Out Plug		Ea
49.	13000614	6" PVC Sewer Clean Out Plug SDR35		Ea
50.	11200740	4" C-900 DR18 PC 150 PVC Pipe		Per Ft
51.	11200750	6" C-900 DR18 PC 150 PVE Pipe		Per Ft
52.	11200760	8" C-900 DR18 PC 150 PVC Pipe		Per Ft
53.	11200770	10" C-900 DR18 PC 150 PVC Pipe		Per Ft
54.	11200780	12" C-900 DR18 PC 150 PVC Pipe		Per Ft
Category B				
55.	12100140	¾" PVC Sch 80 Male Adapter		Ea
56.	12100150	1" PVC Sch 80 Male Adapter		Ea
57.	12100151	1-1/2" PVC Sch 80 Male Adapter		Ea
58.	12100160	2" PVC Sch 80 Male Adapter		Ea
59.	12100165	2-1/2" PVC Sch 80 Male Adapter		Ea
60.	12100152	3" PVC Sch 80 Male Adapter		Ea
61.	12100153	4" PVC Sch 80 Male Adapter		Ea
62.	12100070	¾" PVC Sch 80 Female Adapter		Ea
63.	12100080	1" PVC Sch 80 Female Adapter		Ea
64.	12100081	1-1/2" PVC Sch 80 Female Adapter		Ea
65.	12100090	2" PVC Sch 80 Female Adapter		Ea
66.	12100082	2-1/2" PVC Sch 80 Female Adapter		Ea
67.	12100083	3" PVC Sch 80 Female Adapter		Ea
68.	12100084	4" PVC Sch 80 Female Adapter		Ea
69.	12100352	¾" PVC Sch 80 22-1/2 Bend		Ea
70.	12100353	1" PVC Sch 80 22-1/2 Bend		Ea
71.	12100354	1-1/2" PVC Sch 80 22-1/2 Bend		Ea
72.	12100355	2" PVC Sch 80 22-1/2 Bend		Ea
73.	12100356	2-1/2" PVC Sch 80 22-1/2 Bend		Ea
74.	12100357	3" PVC Sch 80 22-1/2 Bend		Ea
75.	12100358	4" PVC Sch 80 22-1/2 Bend		Ea
76.	12100340	¾" PVC Sch 80 90 deg Elbow		Ea



	Lawson No:	Description:	Price:	Measure:
Category B				
77.	12100350	1" PVC Sch 80 90 deg Elbow		Ea.
80.	12100371	2-1/2" PVC Sch 80 90 deg Elbow		Ea
81.	12100372	3" PVC Sch 80 90 deg Elbow		Ea
82.	12100373	4" PVC Sch 80 90-deg Elbow		Ea
83.	12100440	3/4" PVC Sch 80 Sleeve		Ea
84.	12100450	1" PVC Sch 80 Sleeve		Ea
85.	12100451	1-1/2" PVC Sch 80 Sleeve		Ea
86.	12100460	2" PVC Sch 80 Sleeve		Ea
87.	12100463	2-1/2" PVC Sch 80 Sleeve		Ea
88.	12100465	3" PVC Sch 80 Sleeve		Ea
89.	12100467	4" PVC Sch 80 Sleeve		Ea
90.	12100335	3/4" PVC Sch 80 45 bend		Ea.
91.	12100345	1" PVC Sch 80 45 bend		Ea
92.	12100346	1-1/2" PVC Sch 80 45 deg bend		Ea
93.	12100360	2" PVC Sch 80 45-deg Bend		Ea
94.	12100361	2-1/2" PVC Sch 80 45-deg Bend		Ea
95.	12100362	3" PVC Sch 80 45-deg Bend		Ea
96.	12100363	4" PVC Sch 80 45-deg Bend		Ea
97.	12100212	3/4" PVC Sch 80 SW Cap		Ea.
98.	12100213	1" PVC Sch 80 SW Cap		Ea
99.	12100214	1-1/2" PVC Sch 80 SW Cap		Ea
100.	12100215	2" PVC Sch 80 SW Cap		Ea
101.	12100216	2-1/2" PVC Sch 80 SW Cap		Ea
102.	12100217	3" PVC Sch 80 SW Cap		Ea
103.	12100218	4" PVC Sch 80 SW Cap		Ea
104.	12100540	3/4" PVC Sch 80 Tee		Ea
105.	12100550	1" PVC Sch 80 Tee		Ea
106.	12100551	1-1/2" PVC Sch 80 Tee		Ea
107.	12100560	2" PVC Sch 80 Tee		Ea
108.	12100561	2-1/2" PVC Sch 80 Tee		Ea
109.	12100566	3" PVC Sch 80 Tee		Ea
110.	12100568	4" PVC Sch 80 Tee		Ea
111.	11300341	1/2" PVC Sch 80 Ball Valve		Ea
112.	11300342	3/4" PVC Sch 80 Ball Valve		Ea
113.	11300343	1" PVC Sch 80 Ball Valve		Ea
114.	11300344	1-1/2" PVC Sch 80 Ball Valve		Ea
115.	11300345	2" PVC Sch 80 Ball Valve		Ea
116.	11300330	3" PVC Sch 80 Ball Valve		Ea
117.	12100175	1" x 3/4" PVC Sch 80 Bushing		Ea
118.	12100174	1-1/2" x 3/4" PVC Sch 80 Bushing		Ea
119.	12100173	1-1/2" x 1" PVC Sch 80 Bushing		Ea
120.	12100179	2" x 1" PVC Sch 80 Bushing		Ea
121.	12100182	2-1/2" x 1" PVC Sch 80 Bushing		Ea
122.	12100178	2" x 1-1/2" PVC Sch 80 Bushing		Ea



.....

THIS MUST BE NOTORIZED
(See next page)

.....

Bid Number: 2017-09 “PVC Pipe, Fittings & Ball Valves”

Notary for Individual or Corporation

STATE OF _____ }

COUNTY OF _____ }

I, the undersigned authority in and for said State and County, hereby certify that _____

as _____ respectively, of _____ whose name is

signed to the foregoing document and who is known to me, acknowledged before me on this day, that, being informed of the contents of the document they executed the same voluntarily on the day the same bears date.

Given under my hand and Notary Seal on this _____ day of _____, 2017.

NOTARY PUBLIC _____

MY COMMISSION EXPIRES: ____ / ____ / ____

Seal:



8.0 INSURANCE

8.1 INSURANCE REQUIREMENTS

Awarded Contractor, at its sole expense, shall obtain and maintain in full force the following Insurance to protect the Contractor and SAPA and its members at limits and coverage's specified herein.

All insurance will be provided by insurers by admitted carriers in the State of Alabama, shall have a minimum A.M. Best rating of A-VII and must be acceptable to SAPA. Self-insured plans and/or group funds not having an A.M. Best rating must be submitted to SAPA for prior approval.

8.2 IF PRODUCT IS DELIVERED, NO WORK IS TO BE PERFORMED UNTIL PROOF OF COMPLIANCE WITH THE INSURANCE REQUIREMENTS HAS BEEN RECEIVED BY SAPA.

8.3 Worker's Compensation and Employer's Liability

Part One: Statutory Benefits as required by the State of Alabama

Part Two: Employer's Liability: \$100,000; each accident: \$100,000; each employee: \$500,000 Policy Limit

8.4 Commercial General Liability

Coverage on an Occurrence from with a combined single limit of (Bodily Injury and Property

Damage combined as follows:

Each occurrence: \$1,000,000

Personal and Advertising Injury: \$1,000,000

Products/Completed Operation Aggregate: \$2,000,000

General Aggregate: \$2,000,000

Coverage to include:

Premises and operations

Personal injury and Advertising Injury

Products/completed operations

Independent Contractors

Blanket Contractual Liability

Explosion, Collapse and Underground hazards

Broad Form Property Damage

Railroad Protective Liability Insurance if work involves construction, demolition, or maintenance operations on or within 50-feet of a railroad.

8.5 Automobile Liability

Covering all owned, non-owned and hired vehicles with a limit of no less than \$1,000,000 combined single limit of Bodily injury and property damage per occurrence.

8.6 Certificates of Insurance

A Certificate of Insurance evidencing the above minimum requirements must be provided to and accepted by the City PRIOR to commencement of any work on the contract. Each policy shall be endorsed to provide ten (10) days written notice of cancellation to SAPA and its member using contract.



9.0 Alabama Immigration Act Contract Requirements

9.1 Background

The Beason-Hammon Alabama Taxpayer and Citizen Protection Act, Act No 2011-535, as amended by Act No 2012-491, Code of Alabama (1975) Section 31-13-1 through Section 31-13-30 (also known as and hereinafter referred to as “the Alabama Immigration Act”) is applicable to contracts with SAPA. All business entities entering into contracts with SAPA or its members will comply with the Alabama Immigration Act.

9.2 Definitions

- 9.2.1 ALIEN. Any person who is not a citizen or national of the United States, as described in 8 U.S.C. § 1101, et seq., and any amendments thereto.
- 9.2.2 BUSINESS ENTITY
Any person or group of persons employing one or more persons performing or engaging in any activity, enterprise, profession, or occupation for gain, benefit, advantage, or livelihood, whether for profit or not for profit. Business entity shall include but not be limited to the following:
- 9.2.3 Self-employed individuals, business entities filling articles of incorporation, partnerships, limited partnerships, limited liability companies, foreign corporations, foreign limited partnerships, foreign liability companies authorized to transact business in this state, business trusts, and any business entity that registers with the Secretary of State.
- 9.2.4 Any business entity that possesses a business license, permit, certificate, approval, registration, charter, or similar form of authorization issued by the state, any business entity that is exempt by law from obtaining such a business license, and any business entity that is operating unlawfully without a business license.
- 9.2.5 CONTRACTOR
A person, employer, or business entity that enters into an agreement to perform any service or work or to provide a certain product in exchange for valuable consideration. This definition shall include, but not be limited to, a general contractor, subcontractor, independent contractor, contract employee, project manager, or a recruiting or staffing entity.
- 9.2.6 EMPLOYEE
Any person directed, allowed, or permitted to perform labor or service of any kind by an employer. The employees of an independent contractor working for a business entity shall not be regarded as the employees of the business entity, for the purposes of this chapter. This term does not include any inmate in the legal custody of the state, a county, or a municipality.
- 9.2.7 EMPLOYER
Any person, firm, corporation, partnership, joint stock association, agent, manager, representative, foreman, or other person having control or custody of any employment, place of employment, or of any employee, including any person or entity employing any person for hire within the State of Alabama, including a public employer. This term shall not include the occupant of a household contracting with another person to perform casual domestic labor within the household.



- 9.2.8 **E-VERIFY**
The electronic verification of federal employment authorization program of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, P.L. 104-208, Division c, Section 403 (a); 8 U.S.C. §1324(a), and operated by the *United States Department of Homeland Security*, or its successor program.
- 9.2.9 **STATE-FUNDED ENTITY**
Any governmental entity of the state or a political subdivision thereof or any other entity that receives any monies from the state or a political subdivision thereof; provided, however, an entity that merely provides a service or a product to any governmental entity of the state or a political subdivision thereof, and receives compensation for the same, shall not be considered a state-funded entity.
- 9.2.10 **SUBCONTRACTOR**
A person, business entity, or employer who is awarded a portion of an existing contract by a contractor, regardless of its tier.
- 9.2.11 **UNAUTHORIZED ALIEN**
An alien who is not authorized to work in the United States as defined in 8 U.S.C. § 1324a (h) (3).

10.0 **Mandatory Clause**

All contracts or agreements, to which the state, a political subdivision, or state-funded entities are a party, shall include the following clause:

"By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the state of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom."

For purposes of this section, "contract" shall mean a contract awarded by the state, any political subdivision thereof, or any state-funded entity that was competitively bid or would, if entered into by the state or an agency thereof, be required to be submitted to the Contract Review Permanent Legislative Oversight Committee.

10.1 **Contracts Involving Business Entity, or Employer**

As a condition for the award of any contract, grant, or incentive by the state, any political subdivision thereof, or any state-funded entity to a business entity or employer that employs one or more employees, the business entity or employer shall not knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama.

As a condition for the award of any contract, grant, or incentive by the state, any political subdivision thereof, or any state-funded entity to a business entity or employer that employs one or more employees within the state of Alabama, the business entity or employer shall provide documentation establishing that the business entity or employer is enrolled in the E-Verify program. During the



performance of the contract, the business entity or employer shall participate in the E-Verify program and shall verify every employee that is required to be verified according to the applicable federal rules and regulations.

10.2 Contracts Involving Subcontracting

Any subcontractor on a project paid for by contract, grant, or incentive by the state, any political subdivision thereof, or any state-funded entity shall not knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama and shall also enroll in the E-Verify program prior to performing any work on the project. Furthermore, during the performance of the contract, the subcontractor shall participate in the E-Verify program and shall verify every employee that is required to be verified according to the applicable federal rules and regulations. This subsection shall only apply to subcontractors performing work on a project subject to the provisions of this section and not to collateral persons or business entities hired by the subcontractor.

10.3 Proof of E-Verify documentation will be in the form of a copy of the signed Memorandum of Understanding (MOU) generated upon completion of the E-Verify program.



INVITATION TO BID SUMMARY
Bid Number SAPA 2017-09 "PVC Pipe, Fittings & Ball Valves"

Issue Date: _____

Deadline for Questions Date: _____

SAPA Web Site: www.sarpc.org
Choose "SAPA BIDS"

Copies of Bid: One (1) original, One (1) copy

Contact: Wayne Smith
SAPA Coordinator
Email: Wayne@mySAPA.com

SAPA address for BID submittals by courier
or hand delivered (UPS, FED EX, etc.) Wayne Smith, SAPA Coordinator
% SARPC
110 Beauregard Street
Mobile, Alabama 36633

END OF INVITATION SUMMARY

BIDDER INFORMATION

Bid No. SAPA 2017-09 - PVC Pipe, Fittings & Ball Valves

NOTE: This Section must be printed, completed and turned in with your bid response

Business Organization

Name of Bidder (exactly as it appears on W-9): _____

Doing-Business-As Name of Bidder: _____

Principal Office Address: _____

Telephone Number: _____ Fax Number: _____

Email address: _____



Form of Business Entity [mark one ("X")]	
Corporation	_____
Partnership	_____
Individual	_____
Joint Venture	_____
Other (describe):	_____

Corporation Statement

If a corporation, answer the following:

Date of incorporation: _____

Location of incorporation: _____

The Corporation is held: Publicly _____
Privately _____

Partnership Statement

If a partnership, answer the following:

Date of organization: _____

Location of organization: _____

The partnership is: General _____
Limited _____

Joint Venture Statement

If a Joint Venture, answer the following:

Date of organization: _____

Location of organization: _____

JV Agreement recorded? Yes _____
No _____

Contact Name _____ E-mail _____
Cell Phone _____ Office Phone _____

****END OF BIDDER INFORMATION SECTION****



This contract will be available to all current SAPA members and any new members upon approval by SAPA Chairman.

Members:

Rachel Keith	City of Foley
Rustee Karolyi	City of Robertsdale
Tammy Smith	City of Bay Minette
Robbie Young	South Ala. Regional Planning Commission
Susan Holland	Mobile County Commission
Vicki Miller	City of Satsuma
Suzanne Henson	City of Daphne
Wanda Gautney (<i>SAPA Vice-Chairperson</i>)	Baldwin County Commission
Earl Bolden	Daphne Utilities
Renee Eberly (<i>SAPA Chairperson</i>)	City of Orange Beach
Temple Smith	City of Gulf Shores
Lisa Russell	Mobile Area Water & Sewer System
	City of Fairhope
Thomas Waters	Baldwin County Board of Education
Tracy Rogers	North Baldwin Utilities
Paige Walding	City of Saraland
Tiffany Lynn	Town of Summerdale